Percent difference between summing moments method and weighted average method - Return Corners reduce the difference between the two methods

		h =	3	4	5	6	7	8	9	10	11	12	
L = B =	5 25	End	2%	1%	0%	-3%	-4%	-4%	-3%	0%	0%	0%	
g =	0	2nd	8%	1%	0%	1%	4%	6%	4%	0%	-3%	-4%	
max -% max +%	-4% 8%	3rd	0%	6%	0%	3%	3%	-3%	0%	0%	4%	6%	
		4th	0%	0%	0%	2%	0%	4%	0%	0%	0%	0%	
		5th	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
		6th											
		h =	3	4	5	6	7	8	9	10	11	12	
L = B =	6.25 25	End	4%	2%	1%	0%	-2%	-4%	-4%	-4%	-3%	-1%	
g =	0	2nd	8%	6%	1%	1%	0%	1%	6%	6%	4%	2%	
max -% max +%	-4% 8%	3rd	0%	0%	4%	1%	4%	5%	0%	0%	0%	0%	
		4th	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
		5th											
		6th											
		h =	3	4	5	6	7	8	9	10	11	12	
L = B =	8.333 25	End	11%	5%	3%	1%	0%	0%	-1%	-3%	-4%	-4%	
g =	0	2nd	2%	6%	6%	4%	5%	1%	2%	4%	5%	6%	
max -% max +%	-4% 11%	3rd	0%	0%	0%	3%	0%	0%	0%	0%	0%	0%	
		4th											
		5th											
		6.1											

6th

		h =	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L = B =	7.143 50	End	7%	3%	2%	1%	0%	-2%	-4%	-5%	-5%	-4%	-3%	-1%	0%	0%	0%	0%	0%	0%
g =	0	2nd	3%	6%	2%	-1%	0%	0%	2%	4%	6%	5%	3%	1%	-2%	-4%	-4%	-4%	-4%	-3%
max -% max +%	-5% 8%	3rd	2%	0%	4%	8%	1%	0%	2%	3%	-1%	-4%	-4%	-1%	2%	5%	6%	6%	5%	4%
		4th	-4%	0%	0%	0%	0%	6%	3%	-2%	-1%	5%	5%	1%	-3%	-4%	0%	0%	0%	0%
		5th	5%	0%	0%	0%	0%	0%	0%	3%	3%	0%	0%	0%	4%	6%	0%	0%	0%	0%
		6th	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	10	h =	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L = B =	10 50	End	10%	8%	2%	2%	2%	1%	0%	0%	-2%	-3%	-4%	-4%	-5%	-4%	-4%	-3%	-2%	0%
g =	0	2nd	7%	3%	11%	8%	3%	1%	0%	0%	0%	1%	2%	4%	6%	6%	5%	4%	2%	0%
max -% max +%	-5% 11%	3rd	0%	0%	0%	0%	3%	6%	4%	0%	1%	3%	5%	3%	0%	-3%	0%	0%	0%	0%
		4th	0%	0%	0%	0%	0%	0%	0%	0%	3%	2%	0%	0%	0%	4%	0%	0%	0%	0%
		5th	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
		6th																		
		h =	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L = B =	5.882 100	End	7%	3%	1%	0%	-3%	-4%	-5%	-4%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
g =	0	2nd	-3%	3%	1%	0%	2%	4%	6%	5%	3%	-1%	-3%	-4%	-4%	-4%	-2%	0%	0%	0%
max -% max +%	-5% 8%	3rd	7%	-4%	2%	0%	1%	3%	-1%	-3%	-2%	1%	4%	6%	6%	5%	2%	-1%	-3%	-5%
		4th	0%	7%	-3%	1%	3%	-1%	-4%	4%	3%	-1%	-3%	-2%	0%	0%	0%	2%	5%	6%
		5th	-3%	0%	5%	-1%	0%	1%	7%	-3%	-5%	1%	4%	3%	-1%	-4%	-2%	0%	0%	0%
		6th	4%	-4%	0%	2%	1%	0%	0%	4%	8%	-2%	-5%	0%	2%	5%	3%	-2%	-4%	-2%

		h =	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L = B =	7.692 100	End	9%	6%	3%	2%	0%	-1%	-3%	-4%	-5%	-5%	-4%	-3%	-1%	0%	0%	0%	0%	0%
g =	0	2nd	3%	-1%	3%	1%	0%	0%	1%	3%	5%	6%	5%	3%	1%	-1%	-3%	-4%	-5%	-4%
max -% max +%	-6% 9%	3rd	-2%	7%	-3%	1%	2%	0%	-1%	2%	2%	-2%	-3%	-3%	-1%	2%	4%	6%	6%	6%
		4th	3%	0%	5%	3%	-3%	2%	8%	3%	-5%	-3%	4%	4%	1%	-2%	-4%	-3%	-1%	0%
		5th	0%	-4%	0%	0%	6%	0%	0%	0%	8%	6%	-1%	-5%	-2%	3%	5%	4%	1%	-2%
		6th	0%	6%	-6%	0%	0%	0%	0%	0%	0%	0%	2%	7%	3%	-3%	-4%	0%	0%	3%
		h =	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L = B =	10 100	End	9%	9%	5%	3%	3%	1%	0%	0%	-2%	-3%	-4%	-4%	-4%	-4%	-4%	-3%	-2%	0%
g =	0	2nd	8%	3%	-1%	4%	2%	0%	-1%	0%	0%	1%	2%	4%	6%	6%	5%	4%	2%	0%
max -% max +%	-5% 9%	3rd	0%	0%	6%	1%	-2%	5%	6%	0%	-2%	-1%	2%	3%	0%	-2%	-4%	-3%	-2%	0%
		4th	0%	0%	0%	0%	6%	0%	0%	0%	8%	7%	2%	-3%	-5%	0%	4%	4%	3%	0%
		5th	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	5%	6%	3%	-2%	-4%	-3%	0%
		6th	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	5%	4%	0%
		h =	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L = B =	5.988 1000	End	8%	5%	2%	0%	-3%	-5%	-5%	-5%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
g =	0	2nd	-5%	3%	3%	0%	2%	5%	8%	7%	4%	0%	-3%	-5%	-5%	-5%	-3%	0%	0%	0%
max -% max +%	-6% 8%	3rd	8%	-5%	1%	0%	3%	3%	0%	-3%	-3%	0%	5%	7%	8%	7%	4%	0%	-3%	-5%
		4th	0%	7%	-3%	0%	1%	0%	-1%	3%	3%	0%	-3%	-3%	0%	0%	0%	0%	5%	7%
		5th	0%	0%	5%	0%	-3%	0%	1%	0%	-1%	0%	3%	3%	0%	-3%	-3%	0%	0%	0%
		6th	0%	-6%	0%	0%	4%	-5%	0%	0%	1%	0%	-1%	0%	0%	3%	3%	0%	-3%	-3%

		h =	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L = B =	8 1000	End	10%	8%	5%	3%	1%	0%	-3%	-4%	-5%	-5%	-5%	-4%	-2%	0%	0%	0%	0%	0%
g =	0	2nd	3%	-5%	3%	3%	2%	0%	2%	4%	6%	8%	7%	5%	3%	0%	-3%	-4%	-5%	-5%
max -% max +%	-5% 10%	3rd	-5%	8%	-3%	-3%	1%	0%	2%	3%	3%	0%	-2%	-3%	-2%	0%	4%	6%	8%	8%
		4th	7%	0%	4%	5%	-5%	0%	1%	0%	0%	-1%	3%	4%	3%	0%	-2%	-3%	-2%	0%
		5th	0%	0%	0%	0%	8%	0%	-5%	0%	0%	1%	0%	0%	-1%	0%	3%	4%	3%	0%
		6th	0%	0%	-5%	0%	0%	0%	7%	-4%	-2%	0%	0%	1%	1%	0%	-1%	0%	0%	0%
	·	h =	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L = B =	10 1000			4 11%																
_			8%	-	8%	6%	4%	2%	1%	0%	-2%	-4%	-5%	-5%	-5%	-5%	-4%	-3%	-2%	0%
B =	1000	End	8%	11%	8% -5%	6% 3%	4% 3%	2% 3%	1%	0% 0%	-2% 1%	-4% 3%	-5% 4%	-5% 6%	-5% 8%	-5% 7%	-4% 6%	-3% 5%	-2% 2%	0%
B = g = max -%	1000 0 -5%	End 2nd 3rd	8% 8% 0%	11%	8% -5% 8%	6% 3% 0%	4% 3% -5%	2% 3% 1%	1% 2% 1%	0% 0% 0%	-2% 1% 2%	-4% 3% 3%	-5% 4% 3%	-5% 6% 2%	-5% 8% 0%	-5% 7% -2%	-4% 6% -3%	-3% 5% -3%	-2% 2% -2%	0% 0% 0%
B = g = max -%	1000 0 -5%	End 2nd 3rd 4th	8% 8% 0% 0%	11% 1% 0%	8% -5% 8% 0%	6% 3% 0% 0%	4% 3% -5% 8%	2% 3% 1% 0%	1% 2% 1% -5%	0% 0% 0% 0%	-2% 1% 2% 1%	-4% 3% 3% 1%	-5% 4% 3% 0%	-5% 6% 2% 0%	-5% 8% 0% -1%	-5% 7% -2%	-4% 6% -3% 4%	-3% 5% -3% 3%	-2% 2% -2% 2%	0% 0% 0% 0%